

## **Women and Substance Use Disorders**

**Satellite Conference and Live Webcast  
Thursday, May 13, 2010  
2:00 - 4:00 p.m. Central Time**

Produced by the Alabama Department of Public Health  
Video Communications and Distance Learning Division

## **Faculty**

**Sarah Harkless, MEd  
Substance Abuse Services Division  
Alabama Department of Mental Health**

## **What's in a Name?**

- **Substance abuse**
- **Chemical dependency**
- **Habituation**
- **Hooked**
- **Strung out**
- **Drug abuse**
- **Prescription drug abuse**

## **What's in a Name?**

- **Alcohol abuse**
- **Alcoholism**
- **Addiction**

## **Substance Related Disorders**

- **Category of mental disorders that consists of**
  - **Substance induced disorders and**
  - **Substance use disorders**

## **Substance-Induced Disorders**

- **Anxiety disorder**
- **Mood disorder**
- **Intoxication**
- **Intoxication delirium**
- **Persisting amnesic disorder**
- **Persisting perception disorder**
- **Psychotic disorder**

### **Substance-Induced Disorders**

- Sexual dysfunction
- Sleep disorder
- Withdrawal
- Withdrawal delirium

### **Substance Use Disorders**

- Substance abuse
- Substance dependency

### **Substance Abuse**

- A maladaptive pattern of substance use leading to clinically significant impairment or distress, as manifested by one (or more) of the following, occurring within a 12-month period

### **Substance Abuse**

- Recurrent substance use resulting in a failure to fulfill major role obligations at work, school, or home (e.g., repeated absences or poor work performance related to substance use; substance-related absences, suspensions, or expulsions from school; neglect of children or household)

### **Substance Abuse**

- Recurrent substance use in situations in which it is physically hazardous (e.g., driving an automobile or operating a machine when impaired by substance use)

### **Substance Abuse**

- Recurrent substance-related legal problems (e.g., arrests for substance-related disorderly conduct)

### **Substance Abuse**

- Continued substance use despite having persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of the substance (e.g., arguments with spouse about consequences of intoxication, physical fights)

### **Substance Abuse**

- The symptoms have never met the criteria for Substance Dependence for this class of substance

### **Substance Dependence**

- A maladaptive pattern of substance use, leading to clinically significant impairment or distress, as manifested by three (or more) of the following, occurring at any time in the same 12-month period

### **Substance Dependence**

- Tolerance, as defined by either one of the following
  - A need for markedly increased amounts of the substance to achieve intoxication or desired effect
  - Markedly diminished effect with continued use of the same amount of the substance

### **Substance Dependence**

- Withdrawal, as manifested by either of the following
  - The characteristic withdrawal syndrome for the substance
  - The same (or a closely related) substance is taken to relieve or avoid withdrawal symptoms

### **Substance Dependence**

- The substance is often taken in larger amounts or over a longer period than was intended
- There is a persistent desire or unsuccessful effort to cut down or control substance use
- A great deal of time is spent in activities necessary to obtain the substance, use of the substance, or recover from the effects

### Substance Dependence

- Important social, occupational, or recreational activities are given up or reduced because of substance use
- The substance use is continued despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been caused or exacerbated by the substance

— American Psychiatric Association: DSM IV-TR

### Patterns: Women's Drug Use

- The gender gap is narrowing for substance use across ethnicities, particularly among young women
- Women are more likely to be introduced to and initiate substance use through significant relationships, while marital status appears to play a protective role

### Patterns: Women's Drug Use

- Women's earlier patterns of use (including age of initiation, amount, and frequency) are positively associated with higher risks for dependency
- Women are more likely to temporarily alter their pattern of use in response to caregiver responsibilities

### Patterns: Women's Drug Use

- Women progress faster from initiation of use to the development of substance-related adverse consequences

— SAMHSA: TIP 51

### Patterns: Women's Drug Use

- According to the Substance Abuse and Mental Health Services Administration (SAMHSA'S) National Survey of Drug Use and Health (NSDUH), 6.2% of females ages 12 and older were classified with substance dependence or abuse in 2004, but only 0.9% of females received treatment in 2004

— SAMHSA 2005

### Substance Use Disorders in Alabama: 2008

- Alcohol or illicit drug dependence or abuse: 7.84%
- Need treatment but not receiving it: 6.10%
- Admissions to public treatment programs: 20,966
  - Male: 69.5%
  - Female: 30.5%
  - Pregnant: 1%

### **Gender Matters**

- **Women**
  - **Face barriers to treatment entry**
  - **Encounter obstacles to remaining in treatment**
  - **Have specific treatment needs that are different from those of males**

**“...women represent important social and moral symbols that are the bedrock of society. And when angels fall, they fall disturbingly far.”**

(Hirsh, 1961)

### **Women and Substance Use**

- **Nice ladies don't drink**
- **Nothing worse than a drunk woman**
- **She should be ashamed of herself**
- **She can't care anything about her children**
- **How could she let herself get in this condition**

### **Women and Substance Use**

- **She's nothing but a geek monster**
- **Women who use drugs should be sterilized**
- **She's nothing but a crack head**

**The New York Times**

### ***In Alabama, a Crackdown on Pregnant Drug Users***

By Adam Nossiter  
Published: March 15, 2008

**TIMES DAILY**  
Decatur, Alabama

### ***Search on for Mother Who Left Rehab, Took Infant***

By: Tom Smith, Senior Staff Writer  
Published: Thursday, April 22, 2010

**FRANKLIN COUNTY TIMES**  
Russellville, Alabama

### ***Escaped Rehab Patient, Child Found in Texas***

By: Nathan Strickland  
Published: May 5, 2010

### **Substance Abuse Treatment**

- Traditional treatment designed by and for males
- Limited access for women
- Societal roles and expectations

### **Women's Issues**

- Women's treatment must address
  - The physiological responses to substance use
  - Medical problems and disorders
  - Pregnancy
  - Relationships
  - Trauma

### **Women's Issues**

- Socioeconomic issues
- Culture
- Co-occurring disorders
- Relevant recovery support
- Continuing Care

### **Helping Women with Substance Use Disorders**

- Family
- Health professionals
- Treatment professionals
- Public officials
- General public

### **The Challenge**

In the Navajo Nation, the woven basket is actually a series of concentric rings, one lying within the other, expanding outward and upward until the entire basket is shaped. By itself, one ring can hold nothing and bear no load. When bound together, the circles join, gain strength, and what before could hold nothing now holds stones for building nations and water for building bodes.

SAMHSA: TIP 51