
Is Liquid Candy Harming Your Health? Rethink Your Drink! Molly Killman, MS, RD, LD Healthy Weight Initiative



• In the news...



Sugar becomes new The Grinches Who Stole bogeyman as fats take a back seat in new consumer FDA rejects new name for high fructose corn syrup survey

AP By CANDICE CHOI | Associated Press - 14 hrs ago

Commentary

Consumption of high-fructose corn syrup in beverages may play a role in the epidemic of obesity^{1,2}

George A Bray, Samara Joy Nielsen, and Barry M Popkin

A food component to reduce – 2010 US Dietary Guidelines

recommendations are intended to help people choose an overall healthy diet.

Dietary Guidelines for Americans, 2010

Overview	Tools	Reports & Research	Related Resources
The <i>Dietary Guidelines for Americans, 2010,</i> released on January 31, 2011, emphasize three major goals for Americans:			
 Balance calories with physical activity to manage weight 			Dietary Guidelines for Americans 2010
 Consume more of certain foods and nutrients such as fruits, vegetables, whole grains, <u>fat-free and low fat dairy products</u>, and seafood 			
Consume fewer foods with sodium (salt), saturated fats, <i>trans</i> fats, cholesterol, added sugars, and refined grains			
· · · · · · · · · · · · · · · · · · ·	for Americans, 2010 include ommendations for specific p	23 key recommendations fo opulation groups, such as p	U 1 1

- Added sugars vs. naturally occurring sugars
- Natural sugars
- Supplies nutrients





- Added sugars
- Empty calories, no nutrients
- Supply calories only



Added sugars contribute an average of 16% of total calories in the American diet







- How much is recommended?
- American Heart Association = 6-9 teaspoons/day (100-150 calories)
- Currently consuming approximately 22 teaspoons/day
- About 355 calories per day
- Teens consuming more! (NHANES data)


3-4 teaspoons/day for children recommended






• What are the food sources?

FIGURE 3-6. Sources of Added Sugars in the Diets of the U.S. Population Ages 2 Years and Older, NHANES 2005–2006^a



LIQUID CANDY



Soda

- 20 ounce soda = 16 teaspoons of sugar
- 65 grams of sugar



Sugar Sweetened Beverages

Sugar Sweetened Beverages

- Soda..... what else?
- Definition:
- Yale Rudd Center
 - Any beverage with added caloric sweetener
- CDC
 - Sodas, fruit drinks, sports drinks, energy drinks, tea and coffee drinks, sweetened milk or milk alternatives, and any other beverages to which sugar has been added
- •National Cancer Institute
 - Sodas, fruit drinks, sports drinks, energy drinks, and sweetened bottled waters



















Mayor Bloomberg's soda ban proposal to be submitted to NYC health board today

😏 Tweet 🛛 33

Q +1



12

comments

By CBS News Staff

f Like < 343

Topics News

A sign for a large sweetened drink is viewed on June 1, 2012 in the Brooklyn borough of New York City. In an attempt by the administration to fight obesity, New York City Mayor Michael Bloomberg announced plans yesterday to implement a ban on the sale of large sodas and other sugary drinks at restaurants, movie theaters and street carts. The ban has proved controversial with many people (CBS/AP) Mayor Michael Bloomberg's proposal to ban sugary drinks larger than 16 ounces from New York City eateries, street carts and stadiums is moving forward.

in Share

More +

The proposal is scheduled to be formally submitted to the city's board of health Tuesday morning. The board is expected to hold a series of public hearings during a 90day comment period.


Companies blast proposed NYC drinks ban NYC mayor proposes ban on sugary drinks larger than 16 ounces

New York City's proposed ban on big sodas

The ban on big drinks would apply only to sweetened options that contain more than 25 calories per 8 ounces. It would not apply to diet soda or any other calorie-free drink or milk-based beverages

• Alabama's Youth?

- YRBS Data from CDC
- 19.5 % of AL Youth consumed soda <u>3 or more times per</u> <u>day</u> (diet sodas are not included)
- Tied with Mississippi for first place!
- Males 24%
- Females 15%
- National Average 11.3%



Obesity

- YRBS Data from CDC
- AL Youth
- 17% are obese
- Ranked #1 in the US
- AL Adults
- 33 % are obese
- Ranked #2 in the US



- Limiting the intake of sugar sweetened beverages is one approach to preventing obesity and chronic disease
- Several national and state initiatives promote this as a strategy

American Academy of Pediatrics

- Sports drinks have a limited function for <u>pediatric athletes</u>; they should be ingested when there is a need for rapid replenishment of carbohydrates and/or electrolytes in combination with water <u>during prolonged</u>, <u>vigorous</u> <u>physical activity</u>.
- <u>Routine ingestion</u> of carbohydrate-containing sports drinks by children and adolescents <u>should be avoided or</u> <u>restricted</u>, because they can increase the risk of overweight and obesity, as well as dental erosion.

American Academy of Pediatrics

- Energy drinks pose potential health risks because of the stimulants they contain, and should <u>never</u> be consumed by children or adolescents.
- Water, not sports drinks, should be the principal source of hydration for children and adolescents.





The President & First Lady on Child Nutrition Bill: "The Basic Nutrition They Need to Learn and Grow and to Pursue Their Dreams"



Jesse Lee December 13, 2010 05:42 PM EDT

Share This Pos	
E-Mail	
* Tweet	
Share	

+



Kansas

Kansas Department of Health and Environment



www.refreshkansas.org



Alabama Department of Public Health



Choosing water, fat-free milk, and 100% juice will reduce the risk of you and your family being overweight, having tooth decay, and developing type 2 diabetes.

Alabama Department of Public Health

LIMIT

SODA

Calories: 190

Contains over 10 tsp.

of added sugar

Not a good source of

vitamins or minerals

LIMIT

SERVINGS

THINK ABOUT DRINKS

LESS

100% JUICE

Calories: 110

Good source of

vitamin C and

potassium

ONLY 4 TO 6

OUNCES DAILY

MORE 1%

OR FAT-

FREE MILK

Calories: 90

Good source of

calcium, vitamin D,

and protein

3 CUPS

DAILY

MORE

WATER

Calories: O

Help keeps

you hydrated

AT LEAST 8-8

OUNCES DAILY

LIMIT:

- Alcoholic beverages
- Carbonated beverages
- Juice drinks
- Sport drinks
- Sweet teas

CHOOSE MORE:

- Water
- 1% or fat-free milk
- Unsweetened beverages

Choosing more water and 1% or fat-free milk will reduce your risk of being overweight and developing type 2 diabetes.


- New CDC website <u>www.cdc.gov/healthyyouth/npao</u>
- Click on Water Access in Schools
- Information on the Healthy, Hunger-Free Kids Act

- Beverage Bulletin
- CDC sends out a monthly *Beverage Bulletin*, an electronic resource for practitioners interested in public health efforts to support healthier beverage intake. To subscribe to this listserv, email <u>Beverly Kingsley</u> at <u>bbkg@cdc.gov.</u>

Drink Water First – www.drinkwaterfirst.com



Southeastern Dairy Association -<u>www.southeastdairy.org</u>





Thank you!

- Questions?
- Molly Killman
- <u>Molly.killman@adph.state.al.us</u>
- 334-206-5646