Approved by Date

Company 1-30-15

Revised by Date

ABBREVIATIONS

(Joint Policy for Home Care, and Bio-Monitoring)

POLICY

Home care staff will use approved abbreviations in documentation of patient medical records.

PURPOSE

To standardize abbreviations used in patient medical records.

GENERAL INSTRUCTIONS

- Approved abbreviations to be used by staff in documentation of patient medical records are found in The Charles Press Handbook of Current Medical Abbreviations.
- Additional approved abbreviations that can be utilized in documentation are included in the policy.
- 3. Also refer to the Official" Do Not Use" list.
- Also refer to the Institute for Safe Medication Practices (ISMP's) List of Error– Prone Abbreviations

Α

AAA Area Agency on Aging

AAROM Active-assistive range of motion

ADC Adult Day Care

ADH Adult Day Health

ADPH Alabama Department of Public Health

ADSS Alabama Department of Senior Services

AE above elbow

AEB as evidenced by

AHIF Alabama Head Injury Foundation

approx approximately

appt appointment

AR# accounts receivable number

Ass't, asst assistance

ASV aide supervisory visit

ausc auscultation

В

BE below elbow

BHCS Bureau of Home and Community Services

BKA below knee amputation

BK below knee

BS, bs blood sugar

BSW Bachelor of Social Work

 \mathbf{C}

CCC Certificate of Clinical Competence

CDC Centers for Disease Control and Prevention

Cert certification

CHAP Community Health Accreditation Program

cg caregiver

CGA contact-guard assistance

CM case manager/Clinical Manager

CMS Center for Medicare and Medicaid Services

conf conference

CoP Conditions of Participation

COTA Certified Occupational Therapy Assistant

CP cardiopulmonary

CPM continuous passive motion

CS community services

D

DASV direct aide supervisory visit

D&D disease and disability

DHR Department of Human Resources

DLC Division of Licensure and Certification

DORM Division of Risk Management

Dr. Doctor dx diagnosis dz disease Ε **Electronic Benefit Transfer EBT** E/D elderly and disabled ER emergency room an so on (etcetera) etc ex exercise examination exam F FHT fetal heart tones fsbs fingerstick bloodsugar ft foot G Gs gluteal set G-tube gastrostomy tube Н home attendant HA homebound HB **HCD Home Care Director Health Department** HD

hemiplegic hemi home exercise program Hep, hep hemoglobin hgb НН home health home health agency HHA home health aide HH Aide home health resource group **HHRG** Health and Human Services HHS Home Health Supervisor НМ homemaker **Health Insurance PPS** HIPPS hoh, HOH hard of hearing hospital hosp **HPS Health Provider Standards** ht height home visit HVHx, hx history hyperglycemia hyper hypoglycemia hypo ı ie such as information info

infection screening report ISR J K L L liter **LBSW** Licensed Bachelor Social Worker LC Life Care **LCSW** Licensed Certified Social Worker lower extremity LE Licensed Graduate Social Worker **LGSW** Licensed Physical Therapy Assistant LPTA LUPA Low Utilization Payment Amount M MDA Medical Device Act M'caid Medicaid M'care Medicare MI middle initial month mo Metropolitan Statistical Area **MSA** Medicare Secondary Payor **MSP** MSS **Medical Social Services** MD **Medical Doctor**

Ν

n/c no charge

nc, n/c nasal cannula

0

o/a observation and assessment

OASIS Outcome and Assessment Information Set

OBQI Outcome-Based Quality Improvement

OBQM Outcome-Based Quality Management

oint ointment

OOB out of bed

OTA Occupational Therapy Assistant

Ρ

PAC Professional Advisory Council

PAE potentially avoidable event

PC phone call

Pc personal care

ped pediatric

PEP partial episode payment

per through or by

PHA Public Health Area

POA power of attorney

POC, poc plan of care

PPS prospective payment system

PROM passive range of motion

pro-time prothrombin time

PSDA Patient-Self Determination Act

PTA Physical Therapy Assistant

pt patient

Q

QA/PI Quality Assurance/Performance Improvement

QI Quality Improvement

QOW every other week

q_h every_hours

qs, Qs quad set

R

RAP request for anticipated payment

RBS random blood sugar

re: regarding

rec'd received

recert recertification

RHHI Regional Home Health Intermediary

R Ph Registered Pharmacist

r/t related to

RW rolling walker

S

SCIC significant change in condition

S/E side effects

SLP Speech Language Pathologist

SN, sn skilled nurse(ing)

SNF skilled nursing facility

SNV skilled nursing visit

SOA code source of admission code

SOC start of care

SR skilled respite

SS# social security number

SSI supplemental security income

s/s signs/symptoms

SUP State Supplementation

SV skilled visit

SW social work

standard walker

T

TC telephone call

TDWB touch down weight bearing

TKE terminal knee extension

tol tolerate

Tx, tx treatment U UE upper extremity USR unskilled respite ٧ vagina vag vaginal verbal order v/o venipuncture vρ vital signs v/s W WBTT weight bearing to tolerance w/c wheelchair wk week w/ with w/o without X Υ y/o years old Z

 \mathbf{A}

AAROM active assistive range of motion

AD assistive device

a.e.b. as evidenced by

AKA above knee amputation

asst assist/assistance

В

bal balance

BEA below elbow amputation

bil bilateral

 \mathbf{C}

COTA certified occupational therapy assistant

 \mathbf{D}

DC discontinue, discharge

d/t due to

 \mathbf{E}

eob edge of bed

e-stim electrical stimulation

ex exercise

 \mathbf{F}

F fair

flex flexion

 \mathbf{G}

gt gait

gt.tr. gait training

Η home exercise program **HEP** HP home program I I independent indpt. Independent increased(ing) incr.,inc I/O in/out irreg. irregular J K K-Tape kinesiology tape KTkinesiology tape \mathbf{L} L left LRAD least restrictive assistive device LTG long-term goal \mathbf{M} med medicine/medication Metastasis mets. ms muscle massage mss N

1114 BD/MP

n.

neuro

nerve

neurology

 $\mathbf{0}$

obs observe

OT occupational therapy/therapist

OTA occupational therapy assistant

P

P poor

path pathology

ped pediatric(s)

pharm pharmacy

pneu. Pneumo, Pneumonia

PNX pneumothorax

prod. productive

prog prognosis

PROM progressive range of motion

PSH past surgical history

PT physical therapy/therapist

PTA physical therapy assistant

PWB% partial weight bearing with percent

Q

R

R,r right

RE reconditioning exercise

RW rolling walker

S

sec second

sens sensory, sensation

s.gl without correction(without glasses)

skel skeletal

SLP speech-language pathology/pathologist

sp. cd. spinal cord

spin spine, spinal

spont spontaneous

s/s signs and symptoms

SS social service

ST speech therapy/therapist

subcut subcutaneous

supin supination

SW standard walker

 \mathbf{T}

TDWB touchdown weight bearing

ther ex therapeutic exercise

tib tibial/tibialis

TNS transcutaneous nerve stimulation

tol tolerated

TTWB toe touch weight bearing

 \mathbf{U}

u.s, US ultrasound

 \mathbf{V}

vc, v/c verbal cues

via by way of

\mathbf{W}

w/c, wh.ch. wheelchair

WBT weight bearing tolerance

WBTT weight bearing to tolerance

w/n within

WP, wp whirlpool

 \mathbf{X}

Y

yo, y.o. years old

yrs years

 \mathbf{Z}