### **Selected Health Status Indicators**



Jointly produced to assist those seeking to improve health care in rural Alabama

Ву

The Office of Primary Care and Rural Health,
Alabama Department of Public Health
and
The Alabama Rural Health Association

Special thanks to the National Rural Health Association for funding assistance in the production of this publication.

**April 2013** 

# SELECTED HEALTH STATUS INDICATORS United States, Alabama, and Lowndes County

United States, Alabama, and Lowners County							
Indicators	United		Alabama		Lowndes County		
2011 Population	Number	Pct. of Total	Number	Pct. of Total	Number	Pct. of Total	
Total	311,591,917	100.0	4,802,740	100.0	11,147	100.0	
African American (alone)	40,750,746	13.1	1,271,695	26.5	8,111	72.8	
White (alone)	243,470,497	78.1	3,368,118	70.1	2,885	25.9	
American Indian (alone)	3,814,772	1.2	33,298	0.7	27	0.2	
Asian (alone)	15,578,383	5.0	57,155	1.2	32	0.3	
Hispanic	52,045,277	16.7	193,868	4.0	118	1.1	
Age 19 Years or Less	82,809,903	26.6	1,265,680	26.4	3,026	27.1	
Age 65 Years or More	41,394,141	13.3	672,586	14.0	1,691	15.2	
Age 85 Years or More	5,737,173	1.8	77,743	1.6	186	1.7	
Population Change	Number	Pct. Change	Number	Pct. Change	Number	Pct. Change	
1910 – 2010	91,972,266 to 308,745,538	235.7	2,138,093 to 4,779,736	123.6	31,894 to 11,299	-64.6	
2010 – 2040 Projected	308,745,538 to 380,016,000	23.1	4,779,736 to 5,567,024	16.5	11,299 to 8,354	-26.1	
Age 65+: 2010 – 2040 Projected	40,267,984 to 79,719,000	98.0	657,792 to 1,199,853	82.4	1,655 to 2,226	34.5	
Hispanic: 1990 – 2011	22,354,059 to 52,045,277	132.8	24,629 to 193,868	687.2	60 to 118	96.7	
Income Related Indicators	Number	Measure	Number	Measure	Number	Measure	
Population Below Poverty Level – 2011 Children Under 18 Below Poverty	48,452,035	15.9%	896,117	19.1%	2,995	27.1%	
Level - 2011	16,386,500	22.5%	307,310	27.6%	1,074	39.9%	
Population Under 200% Poverty Level (2006-2011)	97,686,522	32.7%	1,783,196	38.5%	5,967	52.0%	
Per Capita Personal Income – 2011	N.A.	\$41,560	N.A.	\$34,880	N.A.	\$32,176	
Medicaid Eligible Population – 2011	N.A.	N.A.	1,070,781	22.3%	4,167	37.4%	
Medicaid Eligible Children (Under 21) - 2011	N.A.	N.A.	618,137	46.9%	2,202	69.0%	
Medicaid Births - 2011	N.A.	N.A.	31,498	53.1%	115	83.3%	
Access to Health Care Indicators	Number	Measure	Number	Measure	Number	Measure <sup>1</sup>	
Primary Care Physicians – 2012 (Per							
10,000 Population)	208,807	6.8 (2010)	3,056	6.4	2	1.8	
Dentists – 2013 (Per 10,000 Pop.)	155,700	5.0 (2010)	2,141	4.4	0	0.0	
Psychiatrists – 2012 (Per 10,000 Pop.)	39,738	1.3	326	0.7	0	0.0	
General Hospital Authorized Beds – 2013 (Per 10,000 Population)	N.A.	N.A.	16,475	34.3	No H	Iospital	
Is there a hospital providing obstetrical service in the county?	N.A.	N.A.	YES in 31 counties NO in 36 counties		No		

### SELECTED HEALTH STATUS INDICATORS - continued United States, Alabama, and Lowndes County

Indicators	United States		Alak	oama	<b>Lowndes County</b>	
Access to Health Care Indicators – continued	Number	Measure	Number	Measure	Number	Measure <sup>1</sup>
Households With No Vehicle	10,397,000	9.1% (2010)	119,611	6.6% (2010)	537	12.8% (2006- 2010)
Uninsured Population Under 65 Years of Age - 2010	46,556,803	17.7%	681,437	16.9%	1,627	17.0%
Dialysis Patients and Dialysis Patients per Dialysis Station – 2013	N.A	N.A.	7,584	3.2	38	No Dialysis Clinic
Cause of Death Indicators (Includes all causes with 950 or more deaths statewide.)	Number in 2009 - 2011	Rate per 100,000 Pop.	Number in 2009 - 2011	Rate per 100,000 Pop.	Number in 2007 - 2011	Rate per 100,000 Pop. 1
All Causes	7,418,471	800.9	143,493	1,000.6	679	1,146.2
Septicemia	105,990	11.4	2,644	18.4	18	30.4
Cancer	1,717,684	185.4	30,564	213.1	128	216.1
Colon, Rectum, and Anus	157,259	17.0	2,694	18.8	23	38.8
Liver and Intrahepatic Bile Ducts	61,176	6.6	966	6.7	3	N.A.
Pancreas	109,887	11.9	1,813	12.6	6	N.A.
Trachea, Bronchus, and Lung	473,090	51.1	9,644	67.2	29	49.0
Breast (female)	122,508	26.0	1,974	26.8	14	N.A.
Prostate (male)	84,578	18.6	1,611	23.1	10	N.A.
Non-Hodgkin's Lymphoma	60,904	6.6	960	6.7	5	N.A.
Leukemia	68,157	7.4	1,148	8.0	3	N.A.
Diabetes Mellitus	211,058	22.8	3,840	26.8	29	49.0
Parkinson's Disease	65,704	7.1	1,075	7.5	2	N.A.
Alzheimer's Disease	247,188	26.7	4,498	31.4	11	N.A.
Major Cardiovascular Diseases	2,339,340	252.6	46,705	325.7	248	418.6
Heart Diseases	1,793,441	193.6	35,879	250.2	184	310.6
Hypertensive Heart Disease	100,218	10.8	1,226	8.5	13	N.A.
Ischemic Heart Diseases	1,140,484	123.1	16,558	115.5	70	118.2
Acute Myocardial Infarction	367,267	39.7	7,593	52.9	25	42.2
Heart Failure	173,711	18.8	5,769	40.2	38	64.1
Cerebrovascular Diseases (Stroke)	387,249	41.8	7,786	54.3	47	79.3
Pneumonia	152,507	16.5	2,755	19.2	5	N.A.
Chronic Lower Respiratory Diseases	418,815	45.2	8,498	59.3	22	37.1
Chronic Liver Disease and Cirrhosis	96,000	10.4	1,539	10.7	2	N.A.

## SELECTED HEALTH STATUS INDICATORS - continued United States, Alabama, and Lowndes County

Indicators	United States		Alabama		<b>Lowndes County</b>	
Cause of Death Indicators (Includes all causes with 950 or more deaths statewide.)	Number in 2009 - 2011	Rate per 100,000 Pop.	Number in 2009 - 2011	Rate per 100,000 Pop.	Number in 2007 - 2011	Rate per 100,000 Pop. <sup>1</sup>
Nephritis, Nephrotic Syndrome, and Nephrosis	145,142	15.7	3,410	23.8	20	33.8
Renal Failure	131,884	14.2	3,183	22.2	20	33.8
Accidents	361,657	39.0	7,307	51.0	40	67.5
Motor Vehicle Accidents	106,225	11.5	2,723	19.0	27	45.6
Poisoning and Exposure to Noxious Substances	98,353	10.6	1,571	11.0	5	N.A.
Intentional Self-Harm (suicide)	113,558	12.3	1,983	13.8	2	N.A.
Assault (homicide)	49,011	5.3	1,181	8.2	13	N.A.

#### **Causes of Death Groupings of Special Interest**

Cause of Death Indicators	Number in 2009 - 2011	Rate per 100,000 Pop.	Number in 2009 - 2011	Rate per 100,000 Pop.	Number in 2007 - 2011	Rate per 100,000 Pop. 1
Firearm Deaths (intentional self-harm, assault, legal intervention, and undetermined intent)	95,182	10.3	2,387	16.6	13	N.A.
Drug-Induced Deaths	119,779	12.9	1,812	12.6	2	N.A.
Alcohol-Induced Deaths	76,466	8.3	748	5.2	0	0.0

#### **Cancer Incidence and Rates by Site and County**

Indicators	United States		Alabama		<b>Lowndes County</b>	
Cancer Site	Number in 2000 - 2009	Rate per 100,000 Pop.	Number in 2000 - 2009	Rate per 100,000 Pop.	Number in 2000 - 2009	Rate per 100,000 Pop. 1
All Sites	N.A.	N.A.	225,026	459.9	540	397.0
Lung	N.A.	N.A.	37,608	76.1	90	65.0
Colorectal	N.A.	N.A.	24,344	49.8	80	60.2
Oral	N.A.	N.A.	6,187	12.5	6	N.A.
Melanoma	N.A.	N.A.	8,152	17.0	8	N.A.
Prostate	N.A.	N.A.	33,711	155.8	93	149.3
Breast (Female, only)	N.A.	N.A.	31,171	117.3	67	90.7
Cervix	N.A.	N.A.	2,190	9.0	N.A.	N.A.

#### SELECTED HEALTH STATUS INDICATORS - continued United States, Alabama, and Lowndes County

Cinted States, Alabama, and Lowndes County							
Indicators	United States		Alabama		Lowndes County		
Natality Related Indicators	Number	Measure	Number	Measure	Number	Measure <sup>1</sup>	
Infant Mortality 2009-2011 – (Per 1,000 Births)	74,908	6.2	1,516	8.3	6	12.4	
Low Weight Births – 2010-2011 (Percent of All Births)	325,563 (2010)	8.1 %	5,908	10.0 %	43	13.9%	
Births to Teens (10-19) – 2011 (Percent of All Births)	372,175 (2010)	9.3 %	6,697	11.3 %	17	12.3%	
Births With Less Than Adequate Prenatal Care – 2011 (Percent of All Births)	N.A.	N.A.	15,986	27.2 %	54	39.1%	
Caesarian Births – 2011 (Percent of All Births)	1,309,182	32.8 %	20,980	35.4 %	52	37.7%	
Tobacco Use During Pregnancy – 2010-2011 (Percent of All Births)	N.A.	N.A.	6,289	10.6 %	16	5.2%	
Births to Undereducated Women – 2011 (Percent of All Births)	N.A.	N.A.	9,295	15.7 %	17	12.3%	
Births to Unmarried Women – 2011 (Percent of All Births)	1,633,471	40.8% (2010)	24,946	42.1%	107	77.5%	
Preterm Births – 2009 - 2011 (Percent of All Births)	478,790	12.0% (2010)	29,096	16.0%	91	18.8%	
Births for Which Diabetes was Reported as a Risk Factor – 2007- 2011 (Per 1,000 Live Births)	201,218	50.5 (2010)	13,510	45.5	25	36.2	
Other Indicators	Number	Measure	Number	Measure	Number	Measure	
Age 25+ With Less Than High School Education – 2007-2011	29,518,935	14.6 %	567,670	18.1 %	1,933	25.7%	
Public School Graduation Rates - 2011	N.A.	78.0 % (2010)	45,221	71.8 %	91	59.9%	
Receiving Medicare Disability – 2010 (Percent of Total Population)	7,735,377	2.5 %	203,252	4.3 %	669	5.9%	
Adult Obesity – 2010 (Percent of Total Population Aged 20 Years or More)	56,369,496	25 %	1,153,068	33 %	3,698	45%	
Adult Smoking - 2010 (Percent of Total Population Aged 18+ Years)	32,838,970	14 %	838,874	23 %	1,970	23%	
Excessive Drinking - 2010 (Percent of Total Population Aged 18+ Years)	18,765,126	8 %	437,673	12 %	1,456	17%	
Life Expectancy at Birth - 2011	78.7 years		75.7 years		71.5 years		
Sexually Transmitted Disease Cases Reported – January 2012 through March 2013 (Per 10,000 Pop.)	N.A.	N.A.	47,608	99.1	181	162.4	

#### **SELECTED HEALTH STATUS INDICATORS - continued** United States, Alabama, and Lowndes County **Indicators United States** Alabama **Lowndes County** Other Indicators Number Number Measure<sup>1</sup> Measure Measure Number New HIV Cases - 2009 through 2011 (Per 100,000 Population) NOTE: 2,093 Number of cases is not released in 145,614 15.7 14.6 15 N.A. counties where this is less than five. Child Abuse and Neglect Cases Reported to Child Protective Services for Investigation– October 2009 17.5 128 23.4 39,581 N.A. N.A. through September 2011 (Per 1,000 population Under Age 18) Adults Involved in Reported Abuse and Neglect Cases – October 2010 N.A. N.A. 8.729 23.9 27 31.5 through September 2012 (Per 10,000 Adults Aged 18+ Years.

#### **Sources of Information and Special Notes**

**2011 Population Estimates:** Alabama State Data Center, The University of Alabama, 2011 Population Estimates and Projections, http://cber.cba.ua.edu/edata/est\_prj.html and, 2011 Population Estimates Data, http://www.census.gov/popest/data/index.html

Population Change 1910-2010: U.S. Census Bureau, County Population Census Counts 1900-90, http://www.census.gov/population/cencounts/al190090.txt for 1910 data; U.S. Census Bureau, American FactFinder, Census 2010 Summary File 1 (SF 1) 100-Percent Data for 2010 data.

**Population Change 2000-2040:** U.S. Census Bureau, National Population Projections, Interim Projections 2000-2050 based on Census 2000. http://www.census.gov/population/www/projections/natproj.html. Alabama State Data Center, Alabama County Population 2000-2010 and Projections 2015-2040. http://cber.cba.ua.edu/edata/est\_prj.html

Hispanic Population Change 1990-2011: U.S. Census Bureau, American FactFinder, Census 1990 Summary File 1 (STF 1) 100-Percent Data for 1990 data and 2011 Population Estimates Data, http://www.census.gov/popest/data/index.html.

**Population Below Poverty Level - 2011:** U.S. Census Bureau, Small Area Income and Poverty Estimates, http://www.census.gov/did/www/saipe/data/statecounty/data/2011.html

Children Under 18 Below Poverty Level - 2011: U.S. Census Bureau, Small Area Income and Poverty Estimates, http://www.census.gov/did/www/saipe/data/statecounty/data/2011.html

Population Under 200% Poverty Level (2006-2011): American Community Survey, 5-year data for 2007-2011, Table C17002.

<sup>&</sup>lt;sup>1</sup>Rates, percentages, etc based upon fewer than 16 events may not be statistically reliable for specific analyses. "N.A." is given for such indicators. Numbers of events, as well as measurements, are indicated using "N.A." for some indicators in accordance with the data owner's policy of not publishing smaller numbers of events.

**2011 Per Capita Personal Income:** U.S. Bureau of Economic Analysis, Interactive Tables: Local Area Personal Income, Table CA1-3. http://www.bea.gov/iTable/iTable.cfm?ReqID=70&step=1#reqid=70&step=1&isuri=1

Medicaid Eligible Population - 2011: Alabama Medicaid Agency, 2011 Statistics by County. http://medicaid.alabama.gov/CONTENT/2.0\_Newsroom/2.6\_Statistics.aspx

**Medicaid Eligible Children (Under 21) - 2011:** Alabama Medicaid Agency, 2011 Statistics by County. http://medicaid.alabama.gov/CONTENT/2.0 Newsroom/2.6 Statistics.aspx

Medicaid Births - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File.

Primary Care Physicians in 2012: Medical Licensure Commission, Licensed Physician Data Base – 2012. National data is for 2010 and is obtained from the American Medical Association's 2010 Physician Master File. National data was obtained from the Agency for Healthcare Research and Quality's on-line publication, Primary Care Workforce Facts and Stats #1, at http://www.ahrq.gov/research/pcwork1.htm. All data has been adjusted to exclude licensed retirees and include only those actively practicing primary care. (In this publication, primary care physicians include family practitioners, internal medicine specialists, pediatricians, gerontologists, and obstetricians and gynecologists.)

**Dentists in 2013:** Board of Dental Examiners of Alabama, Licensed dentists data base - 2013. National data is for 2010 and is obtained from the Bureau of Labor Statistics at http://www.bls.gov/emp/ep\_table\_102.htm.

Psychiatrists in 2012: Medical Licensure Commission, Licensed Physician Data Base – 2012. National data is for 2010 and is obtained from the American Medical Association, Physician Characteristics and Distribution in the US 2012, Table 1.2.

Hospital Beds in 2013: Alabama Department of Public Health, Division of Provider Services, Healthcare Facilities Directory – Hospital Section. March 21, 2013. http://www.adph.org/HEALTHCAREFACILITIES/Default.asp?id=5349.

Obstetrical Hospitals: Center for Health Statistics 2013 Birth Master File, special inquiry, February 28, 2013.

**Households With No Vehicle in 2010:** U.S. Census Bureau, American FactFinder, American Community Survey – 2010 or 2008-2010 or 2006-2010, Table B08210 – Household Size by Vehicles Available. Estimates are for 1-year, 3-years, or 5-years according to the population of each county.

**Uninsured Persons Under Age 65 - 2010:** U.S. Census Bureau, Model-based Small Area Health Insurance Estimates (SAHIE) for Counties and States. http://www.census.gov/did/www/sahie/index.html

Dialysis Patients and Dialysis Patients per Dialysis Station – 2013: Dialysis patients data by county was obtained by special request from Network 8, Inc. (http://www.esrdnetwork8.org) dated May 31, 2011. Dialysis stations by county was obtained from the *Healthcare Facilities Directory*, Alabama Department of Public Health (http://ph.state.al.us/facilitiesdirectory/(S(qc1vsw45hfl2iw45vbzbwini))/Default.aspx).

Cause of Death Indicators: Alabama Department of Public Health, Center for Health Statistics, Special queries of the 2007, 2008, 2009, 2010, and 2011 Mortality Statistics Files for Alabama data. Centers for Disease Control and Prevention, CDC Wonder Interactive Program, Detailed Mortality files for 2009 and 2010 (<a href="http://wonder.cdc.gov/">http://wonder.cdc.gov/</a>). Deaths – Preliminary Data for 2011, Vol. 61, Number 6, October 10, 2012, Table 2. (Cause of death data included in this publication is not age-adjusted)

Cancer Incidence and Rates by Site and County – Alabama Cancer Facts & Figures 2011, Alabama Statewide Cancer Registry, Alabama Department of Public Health, Tables 3, 4, and 5. http://www.adph.org/ascr/assets/2011FactsFigures.pdf

Infant Mortality Rate - 2009-2011; Alabama Department of Public Health, Center for Health Statistics, http://www.adph.org/healthstats/assets/Total\_Inf\_Mort09\_11.pdf.

National Data: CDC WONDER Online Data Inquiry System, 2009 and 2010 Birth and Detailed Mortality data, http://wonder.cdc.gov/, National Vital Statistics Reports, Deaths: Preliminary Data for 2011, http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61\_06.pdf and Recent Trends in Births and Fertility Rates Through December 2011, http://www.cdc.gov/nchs/data/hestat/births fertility december 2011.pdf.

Low Weight Births – 2010-2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2010 and 2011 Birth Statistics Files and CDC WONDER Online Data Inquiry System, 2010 Births. (Births weighing less than 2,500 grams or 5 pounds and 8 ounces are defined as being of low weight.)

Births to Teenagers (Age 10-19) - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and CDC WONDER Online Data Inquiry System, 2010 Births.

Births With Less Than Adequate Prenatal Care - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File. (The Kotelchuck Index is used in determining adequacy of prenatal care. This index primarily considers the date when prenatal care was begun and the number of visits in determining adequacy.)

Caesarian Births - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and CDC WONDER Online Data Inquiry System, 2010 Births.

Births With Tobacco Use During Pregnancy – 2010-2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2010 and 2011 Birth Statistics Files.

**Births to Undereducated Women - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File. (Women are considered to be "undereducated" when their years of education is at least two years less than what would be expected for someone of their age.)

**Births to Unmarried Women - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File. National data: National Vital Statistics Reports, Vol. 61, No. 1, August 28, 2012, Final Data for 2010, Supplemental Tables, http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61 01 tables/pdf

**Preterm Births – 2009 - 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2009-2011 Birth Statistics Files. National data: National Vital Statistics Reports, Vol. 61, No. 1, August 28, 2012, Final Data for 2010, Supplemental Tables, http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61\_01\_tables/pdf Preterm births are those with a calculated gestation of less than 37 full weeks of pregnancy.

**Births for Which Diabetes was Reported as a Risk Factor – 2007- 2011:** Alabama Department of Public Health, Center for Health Statistics, Special query of the 2007-2011 Birth Statistics Files. National data: National Vital Statistics Reports, Vol. 61, No. 1, August 28, 2012, Final Data for 2010, Supplemental Tables, http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61 01 tables/pdf

Age 25+ With Less Than High School Education - 2007-2011: U.S. Census Bureau, American FactFinder, American Community Survey for 2007-2011, Table B15002.

**Public School Graduation Rates – 2011**: Alabama Kids Count Data Book – 2012, pp.31-98. http://www.alavoices.org/files/12\_AKC-DataBook.pdf National data: National Center for Education Statistics.

The number of students who graduated from public high schools in Alabama in 2011 with regular, advanced, and credit-based diplomas expressed as a percentage of the total number of students who enrolled as first year freshmen four years earlier (or in 2007-2008). While the denominator used in computing the rate includes graduates, completers, students still enrolled, students withdrawn but still enrolled, students who enrolled but failed to attend, dropouts, and "others," it does not include students in the class of 2007-2008 who were retained from later classes. Data are adjusted for students who transferred into, and out of, the cohort over the four-year period. This method of measuring the graduation rate is referred to as the "four-year cohort graduation rate" and reflects efforts to conform to the National Governor's Association recommendation in 2005 that states implement a common measure of graduation beginning with the 2010-2011 academic year. However, the methodology used in computing the cohort graduation rate remains subject to variation from one state to another

Persons Receiving Medicare Disability - 2010: Centers for Medicare and Medicaid Services, Medicare Aged and Disabled by State and County as of July 1, 2010. http://www.cms.gov/Research-Statistics-Data-and-Systems/Statistics-Trends-and-Reports/MedicareEnrpts/Downloads/County2010.pdf

Adult Obesity - Percent of Population Aged 20+ in 2010: County Health Rankings & Roadmaps. The adult obesity measure represents the percent of the adult population (age 20 and older) that has a body mass index (BMI) greater than or equal to 30 kg/m2. Estimates of obesity prevalence by county were calculated by the CDC's National

Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation, using multiple years of Behavioral Risk Factor Surveillance System (BRFSS) data. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone.

Adult Smoking - Percent of Population Aged 18+ in 2010: County Health Rankings & Roadmaps. This measure was calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention's Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. The estimates are based on seven years of data.

Excessive Drinking - Percent of Population Aged 18+ in 2010: County Health Rankings & Roadmaps. This measure was calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention's Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. The estimates are based on seven years of data.

**Life Expectancy at Birth - 2011:** Alabama Department of Public Health, Center for Health Statistics, special request and Deaths – Preliminary Data for 2011, Vol. 61, Number 6, October 10, 2012, Table 6.

Sexually Transmitted Disease Cases – January 2011 through March 2012: Alabama Department of Public Health, Division of STD Prevention and Control, Statistics, 2011 and 2012. http://www.adph.org/STD/Default.asp?id=1080

New HIV Cases – 2009 through 2011: Alabama Department of Public Health (ADPH), HIV Surveillance Branch. Any analyses, interpretation or conclusions reached from this data are those of the user and not the HIV Surveillance Branch. National data: HIV Surveillance Report, Diagnosis of HIV Infection in the United States and Dependent Areas, 2011, Vol.23, Table 1a. Note that national data is estimated to account for reporting delays and missing transmission.

Child Abuse and Neglect Cases Reported to Child Protective Services for Investigation – October 2009 through September 2011: Alabama Department of Human Resources, Child Protective Services, special request for FY 2010 and FY 2011. Please note that it is possible for there to be more than one report on the same family and the number of reports does not correspond with the number of children since reports can involve more than one child in a family.

Adults Involved in Reported Abuse and Neglect Cases – October 2010 through September 2012: Alabama Department of Human Resources, Adult Protective Services, special request for FY 2011 and FY 2012. Please note that it is possible for there to be more than one report on the same adult.

This and other county reports are available online at <a href="www.Arhaonline.org">www.adph.org/ruralhealth/</a>

#### PERMISSION IS GRANTED TO DUPLICATE OR OTHERWISE USE ALL OR ANY PORTION OF THIS REPORT

For additional information please contact the Office of Primary Care and Rural Health Development at (334) 206-5396 or the Alabama Rural Health Association at (334) 546-3502.